MEDICAL LABORATORY SCIENCES

INDEXES

Volume 38 1981

SUBJECT INDEX

A

Abstracts . . . 427
Blood donors with acute hepatitis B . . . 428
Clinical features of sporadic non-A non-B hepatitis . . . 429
Detection of anti-HBc by RIA . . . 429
Development of an enzyme-linked immunosorbent assay (ELISA) for hepatitis Be antigen and antibody . . . 429
Diagnosis of hepatitis A infection . . . 427
Epidemiological evidence for the presence of non-A non-B hepatitis in England . . . 430
Epidemiology of factor VIII and IX-associated hepatitis in the United Kingdom. The . . . 430
Foodborne outbreaks of hepatitis A . . . 428
HBsAg detected in plasma pools . . . 428
Hyperimmune hepatitis A globulin – the role of the blood transfusion service . . . 427
Infection hazards in clinical laboratories . . . 431
Short incubation non-B hepatitis in five of six haemophilia A patients with factor VIII inhibitors, treated by combined plasma exchange and human factor VIII concentrate . . . 430
Alkaline phosphatase of urine: inhibition and electrophoresis characteristics . . . 171
Amies transport medium for mid-term storage of *Campylobacter* sp. isolates from human faeces. Evaluation of . . . 65
Amylase assay. Correction for cuvette lightpath in . . . 289
Antibodies in a solid-phase radiometric assay for HBsAg. Monoclonal . . . 349
Antibodies in the detection of hepatitis infection. Monoclonal . . . 341
Antibodies: their technology and application. Human monoclonal . . . 389
Antibodies to gonococcal pili by enzyme-linked immunosorbent assay. Serological diagnosis of gonorrhoea: detection of . . . 41
Antibody screening: a comparative evaluation of four manual techniques. Red cell . . . 379
Antigen. The LOX antigen: a new chemically-induced red cell . . . 177
Antigen/antibody system. Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an . . . 373
Antigenicity and morphology of hepatitis B surface antigen. Evaluation of a new disinfectant on the . . . 419
Antigens for use in serodiagnosis of systemic candidiasis. *Candida albicans* cytoplasmic . . . 285
Anti-HBc. Post-transfusion hepatitis B transmitted by HBsAg negative blood containing . . . 415
Anti-HBc. Use of the hepatitis B core antigen produced in *Escherichia coli* in an assay for . . . 355
Anti-S detectable only by low ionic strength salt solution techniques . . . 269
API-STREP identification system. An evaluation of the . . . 35
Assay. Correction for cuvette lightpath in amylase . . . 289
Assay. Serological diagnosis of gonorrhoea: detection of antibodies to gonococcal pili by enzyme-linked immunosorbent . . . 41
Assay (ELISA): practical aspects of standardization and quality control. Indirect enzyme linked immunosorbent . . . 245
Assay for anti-HBc. Use of the hepatitis B core antigen produced in *Escherichia coli* in an . . . 355
Assay for HBsAg. Monoclonal antibodies in a solid-phase radiometric . . . 349
Assay of folate in blood. Preparation of a ^{125}I-labelled conjugate of pteroylglutamic acid and its use in a radio ligand . . . 187
Assay of free thyroxine in serum: a preliminary comparison of three commercial kits . . . 85
Assay of urinary uronic acids. Interference in the carbaxole reaction used for . . . 67
Assays for HDL-cholesterol quantitation. Statistical evaluation of two routine precipitating . . . 57
Assays for laboratory diagnosis. Hepatitis A infection: guidelines for development of satisfactory . . . 303
Assays: pre-screening of chemicals for subtoxic levels. Sister chromatid exchange . . . 117
Autogrouper 16-C blood grouping machine. A new source of start sample for the . . . 5
Autogrouper 16-C. Start samples for the . . . 434

B

B lymphocytes by nylon fibre columns. Separation of T and . . . 123
Bacterial haem-iron detection using occult blood tests . . . 281
Bacteriology. False positive direct films in tuberculosis . . . 129
Bleomycins. Rapid column separation of . . . 115
Blood. Preparation of a ^{125}I-labelled conjugate of pteroylglutamic acid and its use in a radio ligand assay of folate in . . . 187
Blood containing anti-HBc. Post-transfusion hepatitis B transmitted by HBsAg negative . . . 415
Blood donors in the west of Scotland. Hepatitis B virus markers in . . . 405

SUBJECT INDEX

Blood grouping machine. A new source of start sample for the Autochanger 16-C 5
Blood Products Laboratory radioimmunoassay (BPL/RIA) system. Hepatitis B surface antigen testing: 323
Blood tests. Bacterial haem-iron detection using occult 281
Blood transfusion in the north London region. Hepatitis of the non-A, non-B type following 423
Book reviews in scientific journals. Leading Article. 75
Book Reviews
Acquired Immune Hemolytic Anemias – *D. Petz and G. Garratty* 70
Aerobic Gram-Negative Bronchopneumonias – *J.P. Thys, J. Klastersky and E. Yourassowsky (Editors)*. 157
Antibiotics in Laboratory Medicine – *V. Lorian (Editor)* 296
Antifungal Chemotherapy – *D.C.E. Speller* 159
Atlas of Human Parasitology – *L.R. Ash and T.C. Oribel* 440
Bacterial, Rickettsial and Mycotic Diseases – C.R.C. Handbook Series in Zoonoses. Section A. J.H. Steele 296
Basic Laboratory Skills for Laboratory Assistants – *H. Taub* 298
Basic Medical Microbiology – *R.F. Boyd and B.G. Hoerl* 439
Benchbook on Brucella – *I. Robertson, I.D. Farrell, P.M. Hinchcliffe and R.A. Quaiff* 296
Biochemical and Biological Applications of Isotachophoresis – *A. Adam and C. Schots (Editors)* 70
Blood and Its Diseases – *I. Chanarin, M. Brozovic, E. Tidmarsh and D.A.W. Waters* 294
Carleton's Histological Technique – *R.A.G. Drury and E.A. Wallington* 154
Casarett and Doull's Toxicology: The Basic Science of Poisons – *J. Doull, C.D. Klaassen and M.O. Amdur (Editors)* 153
Centrifugal Analysers in Clinical Chemistry – *C.P. Price and K. Spencer (Editors)* 153
Clinical Bacteriology – *E.J. Stokes and G.L. Ridgway* 155
Clinical Chemistry in Diagnosis and Treatment – *J.F. Zilva and P.R. Pannall* 152
Clinical Chemistry: Interpretation and Techniques – *A. Kaplan and L.L. Szabo* 69
Colour Atlas of Pathogenic Fungi. A – *D. Frey, R.J. Oldfield and R.C. Bridger* 159
Distribution of the Human Immunoglobulin Allotypes. The – *A.G. Steinberg and C.E. Cook* 295
Edinburgh and the Medical Revolution – *R.D. Lobban* 72
Electrophoresis. A Survey of Techniques and Applications. Part A. Techniques – *Z. Deyl (Editor)* 293
Extrahepatic Metabolism of Drugs and Other Foreign Compounds – *T.E. Gram* 293
Fundamental Skills in Haematology – *B.H. Baker* 294
Gutenberg Two: The New Electronics and Social Change – *D. Godfrey and D. Parkhill (Editors)* 299
Handbook of Microbiological Investigations for Laboratory Animal Health – *J.R. Needham*. 71
Histochemistry: Theoretical and Applied – *A.G.E. Pearse*. 70
History of Bacteriology. The – *W. Bulloch* 299
Immunochemical Methods in the Biological Sciences: Enzymes and Proteins – *R.J. Mayer and J.H. Walker* 155
Immunological Investigation of Renal Disease – *A.R. McGiven*. 71
Immunological Investigations of Tropical Parasitic Diseases – *V. Houba* 158
Infectious Diseases – Diagnosis and Management – *T.T. Yoshikawa, A.W. Chow and L.B. Guze (Editors)*. 440
Introduction to Blood Banking – *R.M. Greendyke*. 151
Laboratory Diagnosis of Toxoplasmosis. The. Public Health Laboratory Service, Monograph Series B – *D.G. Fleck and W. Kwantes* 158
Laboratory Safety: Theory and Practice – *A.A. Fuscaldo, B.J. Erlick and B. Hindman (Editors)* 441
Labtronics. Electronics for Laboratory Scientists – *L.M. Schmidt* 160
Lecture Notes on Genetics – *P.J. Russell* 154
Liquid Scintillation Counting: Recent Applications and Development. Volumes I and II – *C-T. Peng, D.L. Horrocks and E.L. Alpen (Editors)*. 160
Manual of Laboratory Immunology – *J.E. Peacock and R.H. Tomar* 439
Medical Microbiological Techniques – *F.J. Baker and M.R. Breach* 156
Medical Mycology (Studies in Biology Series, No. 119) – *M.P. English* 158
Methods in Haematology, No. 1. Iron – *J.D. Cook (Editor)*. 437
Methods in Haematology, No. 2. The Leukaemic Cell – *D. Catovsky (Editor)* 437
Methods in Microbiology – *T. Bergan and J.R. Norris (Editors)* 157
Microbial Technology, Current State, Future Prospects. Society for General Microbiology, Symposium 29 – *A.T. Bull, D.C. Ellwood and C. Ratledge (Editors)* 156

Microcirculation. 1. No. 1. — *B.T. Altura (Editor)* 348
Model guidelines for preparation of camera-ready typescripts by authors/typists and Bibliographical references in scientific publications: suggestions from ELSE-Ciba Foundation Workshops — 161
Neuroscience: A Clinical Perspective — *J.K. Werner* 70
Pathology Annual. Vol. 15. Part 2 — *S.C. Sommers and P.P. Rosen (Editors)* 438
Platelet Transfusion — *T.A. Lister and J.S. Malpas (Editors)* 151
Practical Clinical Biochemistry. Volume 1 — *H. Varley, A.H. Gowenlock and M. Bell* 152
Practical Guide to Microbial and Parasitic Diseases. A — *G.H. Schwebach* 297
Practical Immunology — *L. Hudson and F.C. Hay* 295
Radiation Protection — *W.H. Tait* 160
Rapid Virus Diagnosis: Application of Immunofluorescence — *P.S. Gardner and J.M. McQuillin* 297
Recent Advances in Clinical Virology — *A.P. Waterson (Editor)* 297
Safety in the Animal House — *J.H. Seamer and M. Wood (Editors)* 298
Theory and Practice of Histotechnology — *D.C. Sheehan and B.B. Hrapchak* 438
Vibrios. The. Public Health Laboratory Service, Monograph Series No. 11 — *A.L. Furniss, J.V. Lee and J.J. Donovan* 157

Books received
Art of Electronics. The — *P. Horowitz and W. Hill* 300
Biological Microcalorimetry — *A.E. Beezer (Editor)* 72
Current Controversies in Cardiovascular Disease — *R. Rapaport (Editor)* 72
Developments in Biological Standardization 73
Drugs Handbook. The. 2nd revised edition — *P. Turner and G. Volans* 73
Electromedical Instrumentation: A Guide for Medical Personnel. (Techniques of measurement in medicine series, No. 2) — *P. Bergveld* 162
Experimental and Surgical Technique in the Rat — *H.B. Waynforth* 72
Handbook of International Food Regulatory Toxicology. Vol. 1. Evaluations. Vol. 2. Profiles — 441
Handbook of Ultrasonic B-scanning in Medicine (Techniques of measurement in medicine series, No. 1) — *R.M. Lunt* 300
Health Surveillance by Routine Procedures 441
Histologie und Histopathologie — *H. Knoche* 73
Inborn Errors of Metabolism — *R. Ellis (Editor)* 73
Introduction to Bioinstrumentation — *C.D. Ferris* 441
Manual of Echocardiographic Techniques — *B.J. Phillips and V.E. Friedewald* 72
Medical Information Systems — *R.R. Grams* 441
Medical X-Ray Techniques in Diagnostic Radiology — *G.J. Van der Plaats* 72
Microfocal Radiography — *R.V. Ely* 300
Renal and Adrenal Tumours — *E. Löbr (Editor)* 162
Standard Operating Procedures. *In Vitro* Toxicology. (Standard Operating Procedures Series, Vol. 3) — *I.P. Sword and R. Thomson (Editors)* 162
Stereological Methods. Vol. 1 — *E.R. Weibel* 73
Stereological Methods. Vol. 2. Theoretical Foundations — *E.R. Weibel* 300
BPL radioimmunoassay system. Hepatitis B surface antigen testing: a report of one year's experience with the 331
BPL/RIA system for hepatitis B surface antigen testing 323
Brain tissue of paracetamol poisoned rats. Peroxidation of liver and 167
British Standard for hepatitis B surface antigen. Preliminary evaluation of a collaborative study of the proposed. 335
Broth. A new single tube medium for rapid confirmation of *Escherichia coli* at 44°C. Tryptone lactose formate 127

C

Calibration of platelet counting instruments. Reference preparations for 21
Campylobacter sp. isolates from human faeces. Evaluation of Amies transport medium for mid-term storage of 65
Candida albicans cytoplasmic antigens for use in serodiagnosis of systemic candidiasis 285
Candida albicans with different fixatives. The ultrastructural appearance of 237
Candidiasis. *Candida albicans* cytoplasmic antigens for use in serodiagnosis of systemic 285
Carbaxole reaction used for assay of urinary uronic acids. Interference in the 67

Carbohydrate content of culture media on Kovacs' oxidase test, with particular reference to *Vibrio* spp. Effect of 133
Cell cultures. Coverglass 435
Cell cultures. Cover-slip 149
Cerebrospinal fluid shunts. Microbial colonisation of. 259
Chemically-induced red cell antigen. The LOX antigen: a new 177
Chemicals for subtoxic levels. Sister chromatid exchange assays: pre-screening of 117
Chromatid exchange assays: pre-screening of chemicals for subtoxic levels. Sister 117
Clinical laboratory staff. Hepatitis infection in 103
Clostridium difficile – a toxigenic pathogen. 253
Coagulation disorders: a preliminary report of an antigen/antibody system. Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital. . 373
Coliphages by enterobacterial resistance plasmids. A study of the restriction of 144
Collaborative study of the proposed British Standard for hepatitis B surface antigen. Preliminary evaluation of. 335
Column separation of bleomycins. Rapid 115
Columns. Separation of T and B lymphocytes by nylon fibre 123
Commercial kits. Assay of free thyroxine in serum: a preliminary comparison of three 85
Commercially available low ionic strength (LISS) solutions. Evaluation of 13
Complement receptors: recent insights and applications. Granulocyte IgG and 395
Congenital coagulation disorders: a preliminary report of an antigen/antibody system. Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with . 373
Coomassie blue reagent. Protein estimation in spinal fluid using 61
Corneal oxytalan fibres: a light and electron microscopical study. Effect of oxidation upon demonstration of 91
Correction for cuvette lightpath in amylase assay. 289
Coulter counter Model 'S' Plus. Platelet counting errors with the. 385
Counterimmunoelectrophoresis. Legionnaires' disease: diagnosis and differentiation from mycoplasma pneumoniae pneumonia by 291
Coverglass cell cultures 435
Cover-slip cell cultures 149
Cultivation of *Entamoeba histolytica*: a comparative study of two methods. Isolation and diagnostic. 139
Culture media. Effect of carbohydrate content on Kovacs' oxidase test, with particular reference to *Vibrio* spp. 133
Cuvette lightpath in amylase assay. Correction for 289
Cytoplasmic *Candida albicans* antigens for use in serodiagnosis of systemic candidiasis 285

D

D_2C staphylococcus. The development and evaluation of a new method for measuring plasma fibrinogen/fibrin degradation products using 143
Development and evaluation of a new method for measuring plasma fibrinogen/fibrin degradation products using D_2C staphylococcus. The. 143
Diagnosis of acute hepatitis A infection: protein A absorption – an extended trial 313
Diagnosis of gonorrhoea: detection of antibodies to gonococcal pili by enzyme-linked immunosorbent assay. Serological 41
Diagnosis. Hepatitis A infection: guidelines for development of satisfactory assays for laboratory . . 303
Diagnosis of Legionnaires' disease and differentiation from mycoplasma pneumoniae pneumonia by counterimmunoelectrophoresis 291
Diagnostic cultivation of *Entamoeba histolytica*: a comparative study of two methods. Isolation and 139
Diagnostic pathology. A multi-disciplinary approach to. Leading Article 1
Diluent problems in the radioimmunoassay of glucagon. A solution to 148
Disinfectant on the antigenicity and morphology of hepatitis B surface antigen. Evaluation of a new 419
Drug monitoring. Therapeutic. Leading Article 163

E

Effect of carbohydrate content of culture media on Kovacs' oxidase test, with particular reference to *Vibrio* spp 133

Effect of oxidation upon demonstration of corneal oxytalan fibres: a light and electron microscopical study . . . 91
Electrical stimulation. Synaptic acid phosphatase: ultrastructural localisation, possible function and the effects of . . . 217
Electroimmunoassay for routine estimation of pregnancy-specific glycoprotein (SP_1) in sera during pregnancy. Enzyme-linked immunoassay compared with . . . 77
Electron microscopical study. Effect of oxidation upon demonstration of corneal oxytalan fibres: a light and . . . 91
Electrophoresis characteristics. Urinary alkaline phosphatase: inhibition and . . . 171
Electrophoresis results. Photographic negatives: an alternative to staining and a convenient means of storing haemoglobin . . . 433
ELISA method for the detection of hepatitis B surface antigen. Experience with an . . . 413
(ELISA): practical aspects of standardization and quality control. Indirect enzyme linked immunosorbent assay . . . 245
ELISA solid-phase precision . . . 147
Embedding: an improved technique. Hydroxyethylmethacrylate . . . 121
Entamoeba bistolytica: a comparative study of two methods. Isolation and diagnostic cultivation of . . . 139
Enterobacterial resistance plasmids. A study of the restriction of coliphages by . . . 144
Enzyme-linked immunoassay compared with electroimmunoassay for routine estimation of pregnancy-specific glycoprotein (SP_1) in sera during pregnancy . . . 77
Enzyme linked immunosorbent assay (ELISA): practical aspects of standardization and quality control. Indirect. . . . 245
Enzyme-linked immunosorbent assay. Serological diagnosis of gonorrhoea: detection of antibodies to gonococcal pili by . . . 41
Escherichia coli at 44°C. Tryptone lactose formate broth: a new single tube medium for rapid confirmation of . . . 127
Escherichia coli in an assay for anti-HBc. Use of the hepatitis B core antigen produced in . . . 355
Evaluation of Amies transport medium for mid-term storage of *Campylobacter* sp. isolates from human faeces . . . 65
Evaluation of a new disinfectant on the antigenicity and morphology of hepatitis B surface antigen. 419
Evaluation of a new method for measuring plasma fibrinogen/fibrin degradation products using D_2C staphylococcus. The development and . . . 143
Evaluation of commercially available low ionic strength (LISS) solutions . . . 13
Evaluation of the API-STREP identification system. An . . . 35
Evaluation of two routine precipitating assays for HDL-cholesterol quantitation. Statistical . . . 57
Experience with an ELISA method for the detection of hepatitis B surface antigen . . . 413

F

Factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system. Short incubation non-A, non-B hepatitis transmitted by . . . 373
Faeces. Evaluation of Amies transport medium for mid-term storage of *Campylobacter* sp. isolates from human . . . 65
False positive direct films in tuberculosis bacteriology . . . 129
Fibrinogen/fibrin degradation products using D_2C staphylococcus. The development and evaluation of a new method for measuring plasma . . . 143
Films in tuberculosis bacteriology. False positive direct . . . 129
Fixatives. The ultrastructural appearance of *Candida albicans* with different . . . 237
Folate in blood. Preparation of a ^{125}I-labelled conjugate of pteroylglutamic acid and its use in a radio ligand assay of . . . 187
4-hydroxy-3-methoxymandelic acid determination — an improvement in specificity. Urinary . . . 111
Frozen storage of small volumes of glycerolized red cells — a new method for recovery . . . 273

G

Glomerulonephritis. Immunofluorescent studies in . . . 68
Glucagon. A solution to diluent problems in the radioimmunoassay of . . . 148
Glycerolized red cells — a new method for recovery. Frozen storage of small volumes of . . . 273
Glycoprotein (SP_1) in sera during pregnancy. Enzyme-linked immunoassay compared with electroimmunoassay for routine estimation of pregnancy-specific . . . 77

Gonorrhoea: detection of antibodies to gonococcal pili by enzyme-linked immunosorbent assay. Serological diagnosis of. . . . 41
Granulocyte IgG and complement receptors: recent insights and applications 395

H

Haem-iron detection using occult blood tests. Bacterial 281
Haemoglobin electrophoresis results. Photographic negatives: an alternative to staining and a convenient means of storing 433
HBsAg. Monoclonal antibodies in a solid-phase radiometric assay for 349
HBsAg negative blood containing anti-HBc. Post-transfusion hepatitis B transmitted by. 415
HDL-cholesterol quantitation. Statistical evaluation of two routine precipitating assays for 57
Hepatitis A infection: guidelines for development of satisfactory assays for laboratory diagnosis . . 303
Hepatitis A infection: protein A absorption – an extended trial. Diagnosis of acute 313
Hepatitis – a laboratory growth industry. Leading Article. 301
Hepatitis B core antigen produced in *Escherichia coli* in an assay for anti-HBc 355
Hepatitis B screening with the aid of microprocessors 409
Hepatitis B surface antigen. A new radioimmunoassay for. 317
Hepatitis B surface antigen. Evaluation of a new disinfectant on the antigenicity and morphology of 419
Hepatitis B surface antigen. Experience with an ELISA method for the detection of 413
Hepatitis B surface antigen. Preliminary evaluation of a collaborative study of the proposed British Standard for 335
Hepatitis B surface antigen testing: a report of one year's experience with the BPL radioimmunoassay system 331
Hepatitis B surface antigen testing: the Blood Products Laboratory radioimmunoassay (BPL/RIA) system 323
Hepatitis B testing: a source of technical error 289
Hepatitis B transmitted by HBsAg negative blood containing anti-HBc. Post-transfusion 415
Hepatitis B virus markers in blood donors in the west of Scotland 405
Hepatitis infection. Monoclonal antibodies in the detection of 341
Hepatitis infection in clinical laboratory staff 103
Hepatitis markers in the east of Scotland. Non-A, non-B. 365
Hepatitis markers in the west of Scotland. Non-A, non-B 359
Hepatitis of the non-A, non-B type following blood transfusion in the north London region 423
Hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system. Short incubation non-A, non-B 373
High density lipoproteins. Triglyceride estimation in. 277
Histochemistry and ultrastructure of the paraspinal muscles in idiopathic scoliosis and in control subjects. 197
Human faeces. Evaluation of Amies transport medium for mid-term storage of *Campylobacter* sp. isolates from 65
Human monoclonal antibodies: their technology and application 389
Human pregnancy. Radiochemical estimation of serum polyamine oxidase activity in. 49
Hydroxyethylmethacrylate embedding: an improved technique 121
4-Hydroxy-3-methoxymandelic acid determination – an improvement in specificity. Urinary 111

I

Identification system. An evaluation of the API-STREP 35
IgG and complement receptors: recent insights and applications. Granulocyte 395
^{125}I-labelled conjugate of pteroylglutamic acid and its use in a radio ligand assay of folate in blood. Preparation of a. 187
Immunoassay compared with electroimmunoassay for routine estimation of pregnancy-specific glycoprotein (SP_1) in sera during pregnancy. Enzyme-linked 77
Immunofluorescent studies in glomerulonephritis 68
Immunosorbent assay. Serological diagnosis of gonorrhoea: detection of antibodies to gonococcal pili by enzyme-linked. 41
Indirect enzyme linked immunosorbent assay (ELISA): practical aspects of standardization and quality control 245
Infection in clinical laboratory staff. Hepatitis 103
Instruments. Reference preparations for calibration of platelet counting 21
Interference in the carbaxole reaction used for assay of urinary uronic acids 67

Isolation and diagnostic cultivation of *Entamoeba histolytica*: a comparative study of two methods 139

J

Journals. Book reviews in scientific. Leading Article 75

K

Kits. Assay of free thyroxine in serum: a preliminary comparison of three commercial 85
Kovacs' oxidase test, with particular reference to *Vibrio* spp. Effect of carbohydrate content of culture media on 133

L

Laboratory staff. Hepatitis infection in clinical 103
Leading articles 1, 75, 163, 301
Legionnaires' disease: diagnosis and differentiation from mycoplasma pneumoniae pneumonia by counterimmunoelectrophoresis 291
Letters to the Editor 67, 289, 433
Light and electron microscopical study. Effect of oxidation upon demonstration of corneal oxytalan fibres: a 91
Lipoproteins. Triglyceride estimation in high density 277
(LISS) solutions. Evaluation of commercially available low ionic strength salt 13
Liver and brain tissue of paracetamol poisoned rats. Peroxidation of. 167
London region. Hepatitis of the non-A, non-B type following blood transfusion in the north. 423
Low ionic strength (LISS) solutions. Evaluation of commercially available 13
Low ionic strength salt solution techniques. Anti-S detectable only by 269
LOX antigen: a new chemically-induced red cell antigen. The. 177
Lymphocytes by nylon fibre columns. Separation of T and B. 123

M

Medium for mid-term storage of *Campylobacter* sp. Isolates from human faeces: evaluation of Amies transport 65
Medium for rapid confirmation of *Escherichia coli* at 44°C. Tryptone lactose formate broth: a new single tube 127
Medium for the isolation of *Staphylococcus aureus*, including thymine requiring strains from sputum. A new 29
Medium for thymine-dependent strains of *Staphylococcus aureus* 435
Microbial colonisation of cerebrospinal fluid shunts 259
Microprocessors. Hepatitis B screening with the aid of 409
Microscopical study. Effect of oxidation upon demonstration of corneal oxytalan fibres: a light and electron 91
Monoclonal antibodies in a solid-phase radiometric assay for HBsAg. 349
Monoclonal antibodies in the detection of hepatitis infection. 341
Monoclonal antibodies: their technology and application. Human 389
Morphology of hepatitis B surface antigen. Evaluation of a new disinfectant on the antigenicity and 419
Multi-disciplinary approach to diagnostic pathology. A. Leading Article. 1
Mycoplasma pneumoniae pneumonia by counterimmunoelectrophoresis. Legionnaires' disease: diagnosis and differentiation from 291

N

New medium for the isolation of *Staphylococcus aureus*, including thymine requiring strains from sputum. A 29
New radioimmunoassay for hepatitis B surface antigen. A. 317
New source of start sample for the Autogrouper 16-C blood grouping machine. A. 5
Non-A, non-B hepatitis following blood transfusion in the north London region. 423
Non-A, non-B hepatitis markers in the east of Scotland 365

Non-A, non-B hepatitis markers in the west of Scotland 359
Non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system. Short incubation 373
Non-A, non-B type following blood transfusion in the north London region. Hepatitis of the 423
Nylon fibre columns. Separation of T and B lymphocytes by 123

O

Occult blood tests. Bacterial haem-iron detection using 281
Oxidase test, with particular reference to *Vibrio* spp. Effect of carbohydrate content of culture media on Kovacs' 133
Oxidation upon demonstration of corneal oxytalan fibres: a light and electron microscopical study. Effect of 91
Oxytalan fibres: a light and electron microscopical study. Effect of oxidation upon demonstration of corneal 91

P

Paracetamol poisoned rats. Peroxidation of liver and brain tissue of 167
Paraspinal muscles in idiopathic scoliosis and in control subjects. Histochemistry and ultrastructure of the. 197
Pathogen. *Clostridium difficile* – a toxigenic 253
Pathology. A multi-disciplinary approach to diagnostic. Leading Article. 1
Patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system. Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in. 373
Peroxidation of liver and brain tissue of paracetamol poisoned rats 167
Phosphatase: inhibition and electrophoresis characteristics. Urinary alkaline 171
Phosphatase: ultrastructural localisation, possible function and the effects of electrical stimulation. Synaptic acid 317
Photographic negatives: an alternative to staining and a convenient means of storing haemoglobin electrophoresis results 433
Pili by enzyme-linked immunosorbent assay. Serological diagnosis of gonorrhoea: detection of antibodies to gonococcal. 41
Plasma fibrinogen/fibrin degradation products using D_2C staphylococcus. The development and evaluation of a new method for measuring. 143
Plasmids. A study of the restriction of coliphages by enterobacterial resistance. 144
Platelet counting errors with the Coulter counter Model 'S' Plus 385
Platelet counting instruments. Reference preparations for calibration of 21
Polyamine oxidase activity in human pregnancy. Radiochemical estimation of serum 49
Post-transfusion hepatitis B transmitted by HBsAg negative blood containing anti-HBc 415
Polyamine oxidase activity in human pregnancy. Radiochemical estimation of serum 49
Precipitating assays for HDL-cholesterol quantitation. Statistical evaluation of two routine 57
Pregnancy. Enzyme-linked immunoassay compared with electroimmunoassay for routine estimation of pregnancy-specific glycoprotein (SP_1) in sera during. 77
Pregnancy. Radiochemical estimation of serum polyamine oxidase activity in human 49
Pregnancy-specific glycoprotein (SP_1) in sera during pregnancy. Enzyme-linked immunoassay compared with electroimmunoassay for routine estimation of 77
Preliminary evaluation of a collaborative study of the proposed British Standard for hepatitis B surface antigen 335
Preparation of a ^{125}I-labelled conjugate of pteroylglutamic acid and its use in a radio ligand assay of folate in blood 187
Protein A absorption – an extended trial. Diagnosis of acute hepatitis A infection: 313
Protein estimation in spinal fluid using Coomassie blue reagent. 61
Pteroylglutamic acid ^{125}I-labelled conjugate and its use in a radio ligand assay of folate in blood. Preparation of 187

Q

Quality control. Indirect enzyme linked immunosorbent assay (ELISA): practical aspects of standardization and. 245

Radiochemical estimation of serum polyamine oxidase activity in human pregnancy 49
Radioimmunoassay. Hepatitis B surface antigen testing: a report of one year's experience with the BPL 331
Radioimmunoassay (BPL/RIA) system. Hepatitis B surface antigen testing: the Blood Products Laboratory 323
Radioimmunoassay for hepatitis B surface antigen. A new 317
Radioimmunoassay of glucagon. A solution to diluent problems in the 148
Radioimmunoassay system. Hepatitis B surface antigen testing: a report of one year's experience with the BPL 331
Radio ligand assay of folate in blood. Preparation of a ^{125}I-labelled conjugate of pteroylglutamic acid and its use in a 187
Radiometric assay for HBsAg. Monoclonal antibodies in a solid-phase 349
Rapid column separation of bleomycins 115
Rats. Peroxidation of liver and brain tissue of paracetamol poisoned 167
Red cell antibody screening: a comparative evaluation of four manual techniques 379
Red cell antigen. The LOX antigen: a new chemically-induced 177
Red cells – a new method for recovery. Frozen storage of small volumes of glycerolized 273
Reference preparations for calibration of platelet counting instruments 21
Resistance plasmids. A study of the restriction of coliphages by enterobacterial 144
Reviews in scientific journals. Book. Leading Article 75

S

Salt solution techniques. Anti-S detectable only by low ionic strength 269
Scientific journals. Book reviews in. Leading Article 75
Scoliosis. Histochemistry and ultrastructure of the paraspinal muscles in control subjects and in idiopathic 197
Scotland. Hepatitis B virus markers in blood donors in the west of 405
Scotland. Non-A, non-B hepatitis markers in the east of 365
Scotland. Non-A, non-B hepatitis markers in the west of 359
Screening: a comparative evaluation of four manual techniques. Red cell antibody 379
Screening with the aid of microprocessors. Hepatitis B 409
Separation of T and B lymphocytes by nylon fibre columns 123
Sera during pregnancy. Enzyme-linked immunoassay compared with electroimmunoassay for routine estimation of pregnancy-specific glycoprotein (SP_1) in 77
Serodiagnosis of systemic candidiasis. *Candida albicans* cytoplasmic antigens for use in 285
Serological diagnosis of gonorrhoea: detection of antibodies to gonococcal pili by enzyme-linked immunosorbent assay 41
Serum: a preliminary comparison of three commercial kits. Assay of free thyroxine in 85
Serum polyamine oxidase activity in human pregnancy. Radiochemical estimation of 49
Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system 373
Shunts. Microbial colonisation of cerebrospinal fluid 259
Sister chromatid exchange assays: pre-screening of chemicals for subtoxic levels 117
Solid-phase radiometric assay for HBsAg. Monoclonal antibodies in a 349
SP_1 in sera during pregnancy. Enzyme-linked immunoassay compared with electroimmunoassay for routine estimation of pregnancy-specific glycoprotein 77
Spinal fluid using Coomassie blue reagent. Protein estimation in 61
Sputum. A new medium for the isolation of *Staphylococcus aureus*, including thymine requiring strains from 29
Staining and a convenient means of storing haemoglobin electrophoresis results. Photographic negatives: an alternative to 433
Staphylococcus aureus, including thymine requiring strains from sputum. A new medium for the isolation of 29
Staphylococcus aureus. Medium for thymine-dependent strains of 435
Start samples for the Autogrouper 16-C 434
Start sample for the Autogrouper 16-C blood grouping machine. A new source of 5
Statistical evaluation of two routine precipitating assays for HDL-cholesterol quantitation 57
Storage of *Campylobacter* sp. isolates from human faeces. Evaluation of Amies transport medium for mid-term 65
Storage of small volumes of glycerolized red cells – a new method for recovery. Frozen 273
Storing haemoglobin electrophoresis results. Photographic negatives: an alternative to staining and a convenient means of 433
Study of the restriction of coliphages by enterobacterial resistance plasmids. A 144

Subtoxic levels. Sister chromatid exchange assays: pre-screening of chemicals for 117
Synaptic acid phosphatase: ultrastructural localisation, possible function and the effects of electrical stimulation 217
Systemic candidiasis. *Candida albicans* cytoplasmic antigens for use in serodiagnosis of 285

T

T and B lymphocytes by nylon fibre columns. Separation of 123
Therapeutic drug monitoring. Leading Article. 163
Thymine-dependent strains of *Staphylococcus aureus*. Medium for 435
Thymine requiring strains from sputum. A new medium for the isolation of *Staphylococcus aureus*, including 29
Thyroxine in serum: a preliminary comparison of three commercial kits. Assay of free 85
Toxigenic pathogen – *Clostridium difficile* 253
Trichloroethane-based substitutes Are safer than xylene? 145
Triglyceride estimation in high density lipoproteins 277
Tryptone lactose formate broth: a new single tube medium for rapid confirmation of *Escherichia coli* at 44°C 127
Tuberculosis bacteriology. False positive direct films in 129

U

Ultrastructural appearance of *Candida albicans* with different fixatives. The 237
Ultrastructural localisation, possible function and the effects of electrical stimulation. Synaptic acid phosphatase 217
Ultrastructure and histochemistry of the paraspinal muscles in idiopathic scoliosis and in control subjects. 197
Urinary alkaline phosphatase: inhibition and electrophoresis characteristics 171
Urinary 4-hydroxy-3-methoxymandelic acid determination – an improvement in specificity. 111
Urinary uronic acids. Interference in the carbaxole reaction used for assay of 67
Use of the hepatitis B core antigen produced in *Escherichia coli* in an assay for anti-HBc 355

V

Vibrio spp. Effect of carbohydrate content of culture media on Kovacs' oxidase test, with particular reference to 133

X

Xylene. Are trichloroethane-based substitutes safer than? 145

INDEX OF SUBJECT INTERESTS

Blood Transfusion

Anti-S detectable only by low ionic strength salt solution rechniques 269
Evaluation of commercially available low ionic strength salt (LISS) solutions. 13
Frozen storage of small volumes of glycerolized red cells – a new method for recovery 273
Hepatitis B surface antigen testing: a report of one year's experience with the BPL radioimmunoassay system 331
Hepatitis B virus markers in blood donors in the west of Scotland 405
Hepatitis of the non-A, non-B type following blood transfusion in the north London region 423
LOX antigen: a new chemically-induced red cell antigen. The 177
New source of start sample for the Autogrouper 16-C blood grouping machine. A 5
Non-A, non-B hepatitis markers in the west of Scotland 359
Post-transfusion hepatitis B transmitted by HBsAg negative blood containing anti-HBc 415
Red cell antibody screening: a comparative evaluation of four manual techniques 379
Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system. 373

Clinical Chemistry

Assay of free thyroxine in serum: a preliminary comparison of three commercial kits. 85
Bacterial haem-iron detection using occult blood tests 281
Enzyme-linked immunoassay compared with electroimmunoassay for routine estimation of pregnancy-specific glycoprotein (SP_1) in sera during pregnancy 77
Peroxidation of liver and brain tissue of paracetamol poisoned rats 167
Preparation of a ^{125}I-labelled conjugate of pteroylglutamic acid and its use in a radio ligand assay of folate in blood 187
Protein estimation in spinal fluid using Coomassie blue reagent. 61
Radiochemical estimation of serum polyamine oxidase activity in human pregnancy 49
Rapid column separation of bleomycins 115
Statistical evaluation of two routine precipitating assays for HDL-cholesterol quantitation 57
Triglyceride estimation in high density lipoproteins 277
Urinary alkaline phosphatase: inhibition and electrophoresis characteristics 171
Urinary 4-hydroxy-3-methoxymandelic acid determination – an improvement in specificity. 111

Cytology

Sister chromatid exchange assays: pre-screening of chemicals for subtoxic levels 117

Data Processing

Hepatitis B screening with the aid of microprocessors 409

Haematology

Development and evaluation of a new method for measuring plasma fibrinogen/fibrin degradation products using D_2C staphylococcus. The 143
Granulocyte IgG and complement receptors: recent insights and applications 395
Platelet counting errors with the Coulter counter Model 'S' Plus 385
Preparation of a ^{125}I-labelled conjugate of pteroylglutamic acid and its use in a radio ligand assay of folate in blood 187
Reference preparations for calibration of platelet counting instruments. 21

Histopathology

Effect of oxidation upon demonstration of corneal oxytalan fibres: a light and electron microscopical study 91
Histochemistry and ultrastructure of the paraspinal muscles in idiopathic scoliosis and in control subjects. 197
Hydroxyethylmethacrylate embedding: an improved technique 121
Synaptic acid phosphatase: ultrastructural localisation, possible function and the effects of electrical stimulation 217
Ultrastructural appearance of *Candida albicans* with different fixatives. The 237

Immunology

Granulocyte IgG and complement receptors: recent insights and applications 395
Hepatitis A infection: guidelines for development of satisfactory assays for laboratory diagnosis . . 303
Human monoclonal antibodies: their technology and application 389

INDEX OF SUBJECT INTERESTS

Indirect enzyme linked immunosorbent assay (ELISA): practical aspects of standardization and quality control . . . 245
Monoclonal antibodies in a solid-phase radiometric assay for HBsAg . . . 349
Monoclonal antibodies in the detection of hepatitis infection . . . 341
Separation of T and B lymphocytes by nylon fibre columns . . . 123

Microbiology
Bacterial haem-iron detection using occult blood tests . . . 281
Clostridium difficile – a toxigenic pathogen . . . 253
Effect of carbohydrate content of culture media on Kovacs' oxidase test, with particular reference to *Vibrio* spp . . . 133
Evaluation of Amies transport medium for mid-term storage of *Campylobacter* sp. isolates from human faeces . . . 65
Evaluation of the API-STREP identification system. An . . . 35
False positive direct films in tuberculosis bacteriology . . . 129
Microbial colonisation of cerebrospinal fluid shunts . . . 259
New medium for the isolation of *Staphylococcus aureus*, including thymine requiring strains, from sputum. A . . . 29
Rapid column separation of bleomycins . . . 115
Serological diagnosis of gonorrhoea: detection of antibodies to gonococcal pili by enzyme-linked immunosorbent assay . . . 41
Study of the restriction of coliphages by enterobacterial resistance plasmids. A . . . 144
Tryptone lactose formate broth: a new single tube medium for rapid confirmation of *Escherichia coli* at 44°C . . . 127
Ultrastructural appearance of *Candida albicans* with different fixatives. The . . . 237

Microscopy
Effect of oxidation upon demonstration of corneal oxytalan fibres: a light and electron microscopical study . . . 91

Mycology
Candida albicans cytoplasmic antigens for use in serodiagnosis of systemic candidiasis . . . 285

Protozoology
Isolation and diagnostic cultivation of *Entamoeba histolytica*: a comparative study of two methods 139

Radioimmunoassay
Diagnosis of acute hepatitis A infection: protein A absorption – an extended trial . . . 313
New radioimmunoassay for hepatitis B surface antigen. A . . . 317
Preparation of a ^{125}I-labelled conjugate of pteroylglutamic acid and its use in a radio ligand assay of folate in blood . . . 187

Safety
Evaluation of a new disinfectant on the antigenicity and morphology of hepatitis B surface antigen. 419
Hepatitis infection in clinical laboratory staff . . . 103

Toxicology
Peroxidation of liver and brain tissue of paracetamol poisoned rats . . . 167

Virology
Diagnosis of acute hepatitis A infection: protein A absorption – an extended trial . . . 313
Evaluation of a new disinfectant on the antigenicity and morphology of hepatitis B surface antigen. 419
Experience with an ELISA method for the detection of hepatitis B surface antigen . . . 413
Hepatitis A infection: guidelines for development of satisfactory assays for laboratory diagnosis . . 303
Hepatitis B screening with the aid of microprocessors . . . 409
Hepatitis B surface antigen testing: a report of one year's experience with the BPL radioimmunoassay system . . . 331
Hepatitis B surface antigen testing: the Blood Products Laboratory radioimmunoassay (BPL/RIA) system . . . 323
Hepatitis B virus markers in blood donors in the west of Scotland . . . 405
Hepatitis infection in clinical laboratory staff . . . 103
Hepatitis of the non-A, non-B type following blood transfusion in the north London region . . . 423
Monoclonal antibodies in a solid-phase radiometric assay for HBsAg . . . 349

INDEX OF SUBJECT INTERESTS

Monoclonal antibodies in the detection of hepatitis infection. 341
New radioimmunoassay for hepatitis B surface antigen. A. 317
Non-A, non-B hepatitis markers in the east of Scotland 365
Non-A, non-B hepatitis markers in the west of Scotland 359
Post-transfusion hepatitis B transmitted by HBsAg negative blood containing anti-HBc 415
Preliminary evaluation of a collaborative study of the proposed British Standard for hepatitis B surface antigen 335
Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system. 373
Use of the hepatitis B core antigen produced in *Escherichia coli* in an assay for anti-HBc 355

AUTHOR INDEX

A

Ainley, M. J. (see Scott, C. S.). Granulocyte IgG and complement receptors: recent insights and applications . . . 395
Alexander, A., Clayton, C., Howes, C. and Garner, A. Effect of oxidation upon demonstration of corneal oxytalan fibres: a light and electron microscopical study . . . 91
Alexander, L. C. Enzyme-linked immunoassay compared with electroimmunoassay for routine estimation of pregnancy-specific glycoprotein (SP_1) in sera during pregnancy . . . 77
Amos, R. W. Evaluation of Amies transport medium for mid-term storage of *Campylobacter* sp. isolates from human faeces . . . 65
Anderson, D. R. (see Waitkins, S. A.). An evaluation of the API-STREP identification system . . . 35
Anderson, S. G. (see Seagroatt, V.). Preliminary evaluation of a collaborative study of the proposed British Standard for hepatitis B surface antigen . . . 335
Armstrong, A. Medium for thymine-dependent strains of *Staphylococcus aureus* . . . 435
Ashley, A. Thesis Summary: A study of the restriction of coliphages by enterobacterial resistance plasmids . . . 144
Au, A. C. S. (see McLaren, M. L.). Indirect enzyme linked immunosorbent assay (ELISA): practical aspects of standardization and quality control . . . 245

B

Baker, R. S. U. (see Mitchell, G. A.). Sister chromatid exchange assays: pre-screening of chemicals for subtoxic levels . . . 117
Ballantyne, F. C. (see Gibbons, V. B.). Triglyceride estimation in high density lipoproteins . . . 277
Bamber, M., Murray, A., Kernoff, P. B. A. and Thomas, H. C. Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report on an antigen/antibody system . . . 373
Barbara, J. and Briggs, M. Hepatitis of the non-A, non-B type followed blood transfusion in the north London region . . . 423
Barr, A., Houston, S. R., MacVarish, I. P., Dow, B. C., Mitchell, R. and Crawford, R. J. Hepatitis B virus markers in blood donors in the west of Scotland . . . 405
Barr, A., Houston, S. R., MacVarish, I. P., Dow, B. C., Mitchell, R. and Crawford, R. J. Hepatitis B testing: a source of technical error . . . 289
Bartholomew, R. (see David, G. S.). Monoclonal antibodies in the detection of hepatitis infection . . . 341
Bayston, R. Microbial colonisation of cerebrospinal fluid shunts . . . 259
Bell, G. D. (see Richmond, C. R.). Interference in the carbaxole reaction used for assay of urinary uronic acids . . . 67
Blann, A. D. Human monoclonal antibodies: their technology and application . . . 389
Briggs, M. (see Barbara, J.). Hepatitis of the non-A, non-B type following blood transfusion in the north London region . . . 423
Bruce, M. and Mitchell, R. The LOX antigen: a new chemically-induced red cell antigen . . . 177
Burdon, D. W. *Clostridium difficile* – a toxigenic pathogen . . . 253

C

Cameron, C. H. (see Seagroatt, V.). Preliminary evaluation of a collaborative study of the proposed British Standard for hepatitis B surface antigen . . . 335
Campbell, S. R. (see Guthrie, D. L.). Platelet counting errors with the Coulter counter Model 'S' Plus . . . 385
Carlisle, J. A. Correction for cuvette lightpath in amylase assay . . . 289
Clarke, A. J. Reference preparations for calibration of platelet counting instruments . . . 21
Clayton, D. C. (see Alexander, A.). Effect of oxidation upon demonstration of corneal oxytalan fibres: a light and electron microscopical study . . . 91
Collins, C. H., Yates, M. D. and Down, G. F. False positive direct films in tuberculosis bacteriology . . . 129
Corker, C. S. and Court, G. A new radioimmunoassay for hepatitis B surface antigen . . . 317
Cornell, A. E. and Hodson, A. W. Urinary alkaline phosphatase: inhibition and electrophoresis characteristics . . . 171
Cosgrove, B. P. (see Follett, E. A. C.). Diagnosis of acute hepatitis A infection: protein A absorption – an extended trial . . . 313
Court, G. (see Corker, C. S.). A new radioimmunoassay for hepatitis B surface antigen . . . 317
Crawford, R. J. (see Barr, A.). Hepatitis B testing: a source of technical error . . . 289
Crawford, R. J. (see Barr, A.). Hepatitis B virus markers in blood donors in the west of Scotland . . . 405
Crockford, J., Foley, C. and Moore, B. P. L. Start samples for the Autogrouper 16-C . . . 434

AUTHOR INDEX

D

David, G. S., Present, W., Martinis, M., Wang, R., Bartholomew, R., Desmond, W. and Sevier, E. D. Monoclonal antibodies in the detection of hepatitis infection . . . 341
Davies, P. A. (see Vale, D. R.). Red cell antibody screening: a comparative evaluation of four manual techniques . . . 379
Desmond, W. (see David, G. S.). Monoclonal antibodies in the detection of hepatitis infection . . . 341
Dickson, J. D. and Peutherer, J. F. Experience with an ELISA method for the detection of hepatitis B surface antigen in a virus diagnostic laboratory . . . 413
Dike, A. E. Post-transfusion hepatitis B transmitted by HBsAg negative blood containing anti-HBc . . . 415
Dow, B. C., Follett, E. A. C. and Mitchell, R. Non-A, non-B hepatitis in the west of Scotland . . . 359
Dow, B. C. (see Barr, A.). Hepatitis B testing: a source of technical error . . . 289
Dow, B. C. (see Barr, A.). Hepatitis B virus markers in blood donors in the west of Scotland . . . 405
Down, G. F. (see Collins, C. H.). False positive direct films in tuberculosis bacteriology . . . 129
Downie, D. M. (see Lockyer, J. W.). A new source of start sample for the Autogrouper 16-C blood grouping machine . . . 5
Drewe, J. A. The ultrastructural appearance of *Candida albicans* with different fixatives . . . 237
Ducimetiere, P. (see Jacqueson, A.). Statistical evaluation of two routine precipitating assays for HDL-cholesterol quantitation . . . 57
Dynan, P. K. Evaluation of commercially available low ionic strength salt (LISS) solutions . . . 13
Dynan, P. K. Frozen storage of small volumes of glycerolized red cells – a new method for recovery . . . 273

E

Endoh, M. (see Tomino, Y.). Immunofluorescent studies in glomerulonephritis . . . 68

F

Farr, A. D. Leading Article: Book reviews in scientific journals . . . 75
Farr, A. D. Leading Article: Hepatitis – a laboratory growth industry . . . 301
Ferguson, M. (see Seagroatt, V.). Preliminary evaluation of a collaborative study of the proposed British Standard for hepatitis B surface antigen . . . 335
Ferguson, M. M. (see Marshall, W.). Coverglass cell cultures . . . 435
Foley, C. (see Crockford, J.). Start samples for the Autogrouper 16-C . . . 434
Follett, E. A. C., McMichael, W., McCartney, R. and Cosgrove, B. P. Diagnosis of acute hepatitis A infection: protein A absorption – an extended trial . . . 313
Follett, E. A. C. (see Dow, B. C.). Non-A, non-B hepatitis markers in the west of Scotland . . . 359
Ford, C. H. J. (see Woodhouse, C. S.). ELISA solid-phase precision . . . 147

G

Gadd, K. G. Protein estimation in spinal fluid using Coomassie blue reagent . . . 61
Garner, A. (see Alexander, A.). Effect of oxidation upon demonstration of corneal oxytalan fibres: a light and electron microscopical study . . . 91
Gibbons, V. B. and Ballantyne, F. C. Triglyceride estimation in high density lipoproteins . . . 277
Gilois, C. R. (see Martin, P. J.). Photographic negatives: an alternative to staining and a convenient means of storing haemoglobin electrophoresis results . . . 433
Goodall, A. H. Monoclonal antibodies in a solid-phase radiometric assay for HBsAg . . . 349
Goodhead, V. M. (see Vale, D. R.). Red cell antibody screening: a comparative evaluation of four manual techniques . . . 379
Green, R. J. L. Histochemistry and ultrastructure of the paraspinal muscles in idiopathic scoliosis and in control subjects . . . 197
Grist, N. R. Hepatitis infection in clinical laboratory staff . . . 103
Guthrie, D. L., Campbell, S. R. and Maidment, N. J. M. Platelet counting errors with the Coulter counter Model 'S' plus . . . 385
Gutteridge, J. M. C. and Lamport, P. A. Bacterial haem-iron detection using occult blood tests . . . 281
Gutteridge, J. M. C. and Wardle, N. Peroxidation of liver and brain tissue of paracetamol poisoned rats . . . 167
Gutteridge, J. M. C. (see Shute, D. J.). Rapid column separation of bleomycins . . . 115

AUTHOR INDEX

H

Hodson, A. W. (see Cornell, A. E.). Urinary alkaline phosphatase: inhibition and electrophoresis characteristics 171
Holliday, M. G. *Candida albicans* cytoplasmic antigens for use in serodiagnosis of systemic candidiasis 285
Holliday, M. G. Legionnaires' disease: diagnosis and differentiation from mycoplasma pneumoniae pneumonia by counterimmunoelectrophoresis 291
Hopkins, R. Evaluation of a new disinfectant on the antigenicity and morphology of hepatitis B surface antigen 419
Hopkins, R. Non-A, non-B hepatitis markers in the east of Scotland 365
Houston, S. R. (see Barr, A.). Hepatitis B testing: a source of technical error 289
Houston, S. R. (see Barr, A.). Hepatitis B virus markers in blood donors in the west of Scotland. . . 405
Howden, R. A new medium for the isolation of *Staphylococcus aureus*, including thymine requiring strains from sputum 29
Howes, R. C. (see Alexander, A.). Effect of oxidation upon demonstration of corneal oxytalan fibres: a light and electron microscopical study 91

I

Illei, G. (see Morgan, D. M. L.). Radiochemical estimation of serum polyamine oxidase activity in human pregnancy 49

J

Jacqueson, A., Orosco, M., Rakotavao, R., Ducimetiere, P. and Warnet, J. M. Statistical evaluation of two routine precipitating assays for HDL-cholesterol quantitation 57
Janossy, G. (see Goodall, A. H.). Monoclonal antibodies in a solid-phase radiometric assay for HBsAg 349
Jeffery, F. H. A solution to diluent problems in the radioimmunoassay of glucagon 148
Jenkins, M. E. (see Vale, D. R.). Red cell antibody screening: a comparative evaluation of four manual techniques 379
Jones, A. M. Effect of carbohydrate content of culture media on Kovacs' oxidase test, with particular reference to *Vibrio* spp. 133
Jordan, A. D. Hepatitis B screening with the aid of microprocessors 409

K

Kernan, S. and Mullahy, D. E. Anti-S detectable only by low ionic strength salt solution techniques 269
Kernoff, P. B. A. (see Bamber, M.). Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system 373

L

Lamey, P-J. (see Marshall, W.). Coverglass cell cultures. 435
Lamport, P. A. (see Gutteridge, J. M. C.). Bacterial haem-iron detection using occult blood tests . . 281
Lane, R. S. Hepatitis B surface antigen testing: the Blood Products Laboratory radioimmunoassay (BPL/RIA) system 323
Lillywhite, J. E. (see McLaren, M. L.). Indirect enzyme linked immunosorbent assay (ELISA): practical aspects of standardization and quality control 245
Lockyer, J. W., Voak, D. and Downie, D. M. A new source of start sample for the Autogrouper-16C blood grouping machine 5
Low, A. C. (see Young, H.). Serological diagnosis of gonorrhoea: detection of antibodies to gonococcal pili by enzyme-linked immunosorbent assay. 41

M

McCartney, R. (see Follett, E. A. C.). Diagnosis of acute hepatitis A infection: protein A absorption – an extended trial 313
MacKay, P. (see Peutherer, J. F.). Use of the hepatitis B core antigen produced in *Escherichia coli* in an assay for anti-HBc 355

AUTHOR INDEX

McLaren, M. L., Lillywhite, J. E. and Au, A. C. S. Indirect enzyme linked immunosorbent assay (ELISA) practical aspects of standardisation and quality control 245
McMichael, S. (see Follett, E. A. C.). Diagnosis of acute hepatitis A infection: protein A absorption – an extended trial 313
MacVarish, I. P. (see Barr, A.). Hepatitis B testing: a source of technical error 289
MacVarish, I. P. (see Barr, A.). Hepatitis B virus markers in blood donors in the west of Scotland . . 405
Magrath, D. I. (see Seagroatt, V.). Preliminary evaluation of a collaborative study of the proposed British Standard for hepatitis B surface antigen 335
Maidment, N. J. M. (see Guthrie, D. L.). Platelet counting errors with the Coulter counter Model 'S' Plus 385
Marshall, W. Coverglass cell cultures 435
Martin, P. J. and Gilois, C. R. Photographic negatives: an alternative to staining and a convenient means of storing haemoglobin electrophoresis results 433
Martinis, J. (see David, G. S.). Monoclonal antibodies in the detection of hepatitis infection 341
Meek, F. M. (see Goodall, A. H.). Monoclonal antibodies in a solid-phase radiometric assay for HBsAg 349
Meher-Homji, K. M. (see Mitchell, G. A.). Sister chromatid exchange assays: pre-screening of chemicals for subtoxic levels. 117
Miescher, G. (see Goodall, A. H.). Monoclonal antibodies in a solid-phase radiometric assay for HBsAg 349
Mitchell, G. A., Meher-Homji, K. M. and Baker, R. S. U. Sister chromatid exchange assays: pre-screening of chemicals for subtoxic levels 117
Mitchell, R. (see Barr, A.). Hepatitis B testing: a source of technical error. 289
Mitchell, R. (see Barr, A.). Hepatitis B virus markers in blood donors in the west of Scotland 405
Mitchell, R. (see Bruce, M.). The LOX antigen: a new chemically-induced red cell antigen 177
Mitchell, R. (see Dow, B. C.). Non-A, non-B hepatitis markers in the west of Scotland 359
Moore, B. P. L. (see Crockford, J.). Start samples for the Autogrouper 16-C 434
Morgan, D. M. L. and Illei, G. Radiochemical estimation of serum polyamine oxidase activity in human pregnancy 49
Mullahy, D. E. (see Kernan, S.). Anti-S detectable only by low ionic strength salt solution techniques 269
Munro, R. Thesis Summary: The development and evaluation of a new method for measuring plasma fibrinogen/fibrin degradation products using D_2C staphylococcus 143
Murray, A. (see Bamber, M.). Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system 373
Murray, K. (see Peutherer, J. F.). Use of the hepatitis B core antigen produced in *Escherichia coli* in an assay for anti-HBc 355

N

Neill, W. A. (see Norval, M.). Cover-slip cell cultures 149
Newman, C. E. (see Woodhouse, C. S.). ELISA solid-phase precision. 147
Newman, G. R. (see Wynford-Thomas, D.). Hydroxyethylmethacrylate embedding: an improved technique 121
Nomoto, Y. (see Tomino, Y.). Immunofluorescent studies in glomerulonephritis 68
Norval, M. Cover-slip cell cultures. 149

O

Opara, A. A. Tryptone lactose formate broth: a new single tube medium for rapid confirmation of *Escherichia coli* at 44°C. 127
Orosco, M. (see Jacqueson, A.). Statistical evaluation of two routine precipitating assays for HDL-cholesterol quantitation 57
Osisanya, J. O. S. Isolation and diagnostic cultivation of *Entamoeba histolytica*: a comparative study of two methods 139

P

Parry, J. V. Hepatitis A infection: guidelines for development of satisfactory assays for laboratory diagnosis 303
Paterson, N. Leading Article: Therapeutic drug monitoring 163
Peutherer, J. F., MacKay, Patricia, Ross, R., Stahl, S. and Murray, K. Use of the hepatitis B core antigen produced in *Escherichia coli* in an assay for anti-HBc. 355

AUTHOR INDEX

Peutherer, J. F. (see Dickson, J. D.). Experience with an ELISA method for the detection of hepatitis B surface antigen 413
Present, W. (see David, G. S.). Monoclonal antibodies in the detection of hepatitis infection 341
Puckett, A. Hepatitis B surface antigen testing: a report of one year's experience with the BPL radioimmunoassay system 331

R

Rakotovao, R. (see Jacqueson, A.) Statistical evaluation of two routine precipitating assays for HDL-cholesterol quantitation 57
Reid, K. J. and Young, F. J. Are trilene-based substitutes safer than Xylene?. 145
Richards, D. A. Urinary 4-hydroxy-3-methoxymandelic acid determination — an improvement in specificity 111
Richmond, C. R. Interference in the carbaxole reaction used for assay of urinary uronic acids 67
Ross, R. (see Peutherer, J. F.). Use of the hepatitis B core antigen produced in *Escherichia coli* in an assay for anti-HBc 355

S

Sakai, H. (see Tomino, Y.). Immunofluorescent studies in glomerulonephritis 68
Schild, G. C. (see Seagroatt, V.). Preliminary evaluation of a collaborative study of the proposed British Standard for hepatitis B surface antigen 335
Scott, C. S. and Ainley, M. J. Granulocyte IgG and complement receptors: recent insights and applications 395
Seagroatt, V., Magrath, D. I., Ferguson, M., Anderson, S. G., Schild, G. C. and Cameron, C. H. Preliminary evaluation of a collaborative study of the proposed British Standard for hepatitis B surface antigen. 335
Sevier, E. D. (see David, G. S.). Monoclonal antibodies in the detection of hepatitis infection 341
Shute, D. J., Toeg, D. and Gutteridge, J. M. C. Rapid column separation of bleomycins. 115
Stahl, S. (see Peutherer, J. F.). Use of the hepatitis B core antigen produced in *Escherichia coli* in an assay for anti-HBc 355
Stewart, K. N. Separation of T and B lymphocytes by nylon fibre columns. 123
Stringer, B. (see Wynford-Thomas, D.). Hydroxyethylmethacrylate embedding: an improved technique 121

T

Thomas, H. C. (see Bamber, M.). Short incubation non-A, non-B hepatitis transmitted by factor VIII concentrates in patients with congenital coagulation disorders: a preliminary report of an antigen/antibody system 373
Thomas, H. C. (see Goodall, A. H.). Monoclonal antibodies in a solid-phase radiometric assay for HBsAg 349
Todd, F. K. (see Waitkins, S. A.). An evaluation of the API-STREP identification system. 35
Toeg, D. (see Shute, D. J.). Rapid column separation of bleomycins 115
Tomino, Y. Immunofluorescent studies in glomerulonephritis 68
Tuttlebee, J. W. Assay of free thyroxine in serum: a preliminary comparison of three commercial kits 85

V

Vale, D. R., Goodhead, V. M., Davies, P. A. and Jenkins, M. E. Red-cell antibody screening: a comparative evaluation of four manual techniques 379
Voak, D. (see Lockyer, J. W.). A new source of start sample for the Autogrouper 16-C blood grouping machine 5

W

Waitkins, S. A., Anderson, D. R. and Todd, F. K. An evaluation of the API-STREP identification system 35
Walton, L. Preparation of a ^{125}I-labelled conjugate of pteroylglutamic acid and its use in a radio ligand assay of folate in blood. 187
Wang, R. (see David, G. S.). Monoclonal antibodies in the detection of hepatitis infection 341
Wardle, N. (see Gutteridge, J. M. C.). Peroxidation of liver and brain tissue of paracetamol poisoned rats 167

Warnet, J. M. (see Jacqueson, A.). Statistical evaluation of two routine precipitating assays for HDL-cholesterol quantitation 57
Wilks, P. N. Synaptic acid phosphatase: ultrastructural localisation, possible function and the effects of electrical stimulation 217
Woodhouse, C. S., Ford, C. H. J. and Newman, C. E. ELISA solid-phase precision 147
Wright, D. H. Leading Article: A multi-disciplinary approach to diagnostic pathology 1
Wynford-Thomas, D., Stringer, B. and Newman, G. Hydroxyethylmethacrylate embedding: an improved technique 121

Y

Yates, M. D. (see Collins, C. H.). False positive direct films in tuberculosis bacteriology 129
Young, F. J. (see Reid, K. J.). Are trichloroethane-based substitutes safer than xylene? 145
Young, H. Serological diagnosis of gonorrhoea: detection of antibodies to gonococcal pili by enzyme-linked immunosorbent assay 41